



## THE IMPACT OF STAKEHOLDER PARTICIPATION ON THE EXECUTION OF STREET LIGHTING PROJECT IN TURKANA COUNTY, KENYA

James Eukot Lotom<sup>1</sup>, Harriet Jepchumba Kidombo (Prof.)<sup>2</sup>,  
and Anthony Wainaina Ndungu (Ph.D.)<sup>3</sup>.

<sup>1-3</sup>Faculty of Business and Management Sciences, P.O. Box, 30197-00100,  
University of Nairobi, Kenya.

Emails:

<sup>1</sup>[jameukot@gmail.com](mailto:jameukot@gmail.com); <sup>2</sup>[hkidombo@uonbi.ac.ke](mailto:hkidombo@uonbi.ac.ke); <sup>3</sup>[awndungu@uonbi.ac.ke](mailto:awndungu@uonbi.ac.ke)

### Cite this article:

James Eukot Lotom, Harriet Jepchumba Kidombo, Anthony Wainaina Ndungu (2026), The Impact of Stakeholder Participation on the Execution of Street Lighting Project in Turkana County, Kenya. African Journal of Law, Political Research and Administration 9(1), 119-143. DOI: 10.52589/AJLPRA-CJYAYG0Y

### Manuscript History

Received: 29 Apr 2026

Accepted: 4 Jun 2026

Published: 25 Jun 2026

### Copyright © 2026 The Author(s).

This is an Open Access article distributed under the terms of Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International (CC BY-NC-ND 4.0), which permits anyone to share, use, reproduce and redistribute in any medium, provided the original author and source are credited.

**ABSTRACT:** *Project implementation is a critical phase of the project lifecycle that directly determines project success. Sustainable organizational performance relies on structured project management procedures rather than arbitrary methods, which frequently lead to unpredictable outcomes. This study assessed the influence of stakeholder engagement on the implementation of street lighting projects in Turkana County, Kenya. Anchored on Stakeholder Theory, the study adopted a cross-sectional survey design. The target population consisted of 34 Chief Officers/M&E Experts, 6 Sub-county Quantity Surveyors, 6 Sub-county Electrical Engineers, 6 M&E Focal Persons, 6 Project Implementation Committee Chairpersons, 6 Sub-county Financial Directors, and 6 Sub-county Procurement Officers. Simple random sampling was used to select 27 Chief Officers/M&E Experts, while a census approach was adopted for all other categories. Data were collected using questionnaires and document analysis checklists. Quantitative data were analyzed using frequencies, means, and standard deviations, while hypotheses were tested via simple linear regression using SPSS Version 25 and the Hayes PROCESS Macro v4.1. The findings demonstrated a significant relationship between stakeholder management and the implementation of street lighting projects ( $p < 0.05$ ). Actively involving stakeholders in decision-making processes improved the quality of project monitoring and evaluation (M&E) reports, ultimately enhancing project execution. Furthermore, the interaction term ( $X \times W$ ) explained an additional 14.5% of the variance in project implementation ( $\Delta R^2 = 0.145$ ), and the overall model was statistically significant ( $p < 0.05$ ). This indicates that the independent and moderator variables jointly predict the dependent variable. Notably, the results confirm that the moderator variable (stakeholder engagement) significantly alters the relationship between M&E capacity and the implementation of street lighting projects.*

**KEYWORDS:** Stakeholder engagement, Project implementation, Street lighting projects.



## BACKGROUND OF THE STUDY

Infrastructure development serves as the foundational cornerstone of socioeconomic transformation, particularly within developing nations. Among essential public infrastructure interventions, street lighting projects have assumed immense prominence due to their multifaceted developmental benefits. Beyond basic illumination, modern public lighting enhances citizen security, extends commercial trading hours into the night, improves road safety, and upgrades urban aesthetics (Mukamwiza & Hakizimana, 2021). Historically, street lighting has evolved from pre-modern torches and oil lamps to contemporary, algorithm-controlled, solar-powered systems a trajectory that mirrors human civilization and urbanization. In the modern era, implementing street lighting is an intricately complex, socio-technical process that extends far beyond the physical installation of hardware (Schwabe et al., 2024). Urban lighting design shapes a community's "sense of place," steers pedestrian traffic, highlights architectural heritage, and directly influences local energy consumption and grid stability. Furthermore, public lighting acts as a critical indicator of community well-being, directly impacting quality of life, the perception of safety, and the capacity of citizens to engage in night-time social and economic activities (Ntshangase et al., 2024). Consequently, comprehensive Monitoring and Evaluation (M&E) for these projects must transcend simple asset counting. Effective M&E frameworks must systematically assess energy conservation metrics, maintenance response times, and systemic changes in economic activity, public perception, and local crime rates.

### Global Constraints in Project Implementation

Unprecedented urbanization and rapid technological advancements in the 20th and 21st centuries have placed immense strain on municipal infrastructure, particularly across Asia and Africa. Local authorities face an escalating demand for reliable, cost-effective public lighting to support expanding road networks and vulnerable informal settlements where darkness compounds criminal activity (Nduhura et al., 2024). However, executing these public works in resource-constrained environments presents severe execution challenges. To bypass budgetary deficits, innovative financing mechanisms such as leasing agreements and performance-based contracts have been globally adopted to delegate installation and maintenance to private entities based on efficiency metrics. Yet, international precedents demonstrate that irrespective of the procurement or financing model used, structural vulnerabilities in installation, commissioning, and continuous maintenance can trigger rapid asset deterioration. As observed by Chowdhury, Sultana, and Sourav (2022), neglecting proper maintenance procedures causes frequent outages, diminishes public confidence, and rapidly depletes hard infrastructure investments. This underscores the reality that "soft" management capabilities, specifically robust M&E and inclusive stakeholder management, are vital safeguards for physical capital.

### Regional and National Legal Frameworks

In Kenya, the right of citizens and institutional stakeholders to actively participate in developmental initiatives is legally protected. This right is constitutionally mandated under the Constitution of Kenya (2010) and operationalized through the Public Participation Act (2019). These statutory frameworks recognize that sustainable development relies on local ownership and institutional accountability. To bridge the infrastructure gap nationwide, the national government has historically launched large-scale electrification initiatives. For instance, in 2016, a Ksh. 7.6 billion national street lighting project was commissioned, which included a



Ksh. 2.5 billion allocation earmarked for installing 24,485 lighting units across various counties (Government of Kenya, 2022). Despite these massive capital injections, empirical evidence indicates that the delivery of these public utilities remains suboptimal. National project failures are frequently linked to deficient stakeholder engagement and weak institutional M&E strategies (Micheni, 2023).

### **The Local Context: Turkana County**

Turkana County is the second-largest county in Kenya, accounting for approximately 13% of the nation's total landmass. Characterized by an arid and semi-arid (ASAL) climate, the region experiences extreme temperatures exceeding 40°C and low, erratic annual rainfall ranging between 150 mm and 400 mm. These harsh climatic conditions limit agricultural productivity, leaving nomadic pastoralism and fishing as the primary economic pillars. Fresh agricultural produce must be transported by road from Kitale in the Rift Valley to the county capital of Lodwar, which serves as the central commercial hub for the northwestern region and neighboring countries like Ethiopia, South Sudan, and Uganda. Socioeconomically, Turkana remains highly marginalized; according to UNICEF (2021), 88% of the county's population lives below the poverty line, compared to a national average of 45%. Despite these vulnerabilities, the commercial discovery of viable oil reserves in 2012 catalyzed fresh public and private investments. Because daytime temperatures are prohibitively high, the expansion of street lighting became an economic necessity to foster equitable socio-economic development through a thriving night-time economy.

### **Stakeholder Engagement**

In the context of public infrastructure development, a participatory approach is essential to the sustainability of street lighting projects. Local residents, as the primary beneficiaries, are uniquely positioned to provide experiential feedback regarding whether newly installed infrastructure effectively stimulates the night-time economy, mitigates crime, or enhances general neighborhood security. By actively involving community members in data collection and feedback loops, project evaluators can capture qualitative, real-life impacts that strictly quantitative metrics often overlook (Irungu & Maitho, 2022). Conversely, institutional stakeholders, such as local government representatives, contribute vital technical and regulatory oversight to the monitoring and evaluation (M&E) process, ensuring alignment with statutory guidelines and national policy frameworks. Furthermore, supply-side stakeholders including energy providers and private contractors offer critical data regarding maintenance schedules, technical grid constraints, operational challenges, and cost-effectiveness. Integrating this diverse matrix of stakeholders yields a highly comprehensive, reliable, and actionable data repository that directly improves project oversight (Nkuebe & Ochieng, 2023).

### **Project Implementation**

Project implementation constitutes the operational phase within the project lifecycle where planned objectives are translated into actionable tasks to achieve specific goals (Amadi, 2023). According to Yanwen (2022), successful execution requires that a project achieves its predefined scope while remaining constrained by budgetary allocations and tight schedules. This demands rigorous fiscal monitoring, precise resource allocation, and continuous task tracking to secure the desired deliverables (Musau & Kirui, 2019). Comprehensive project implementation culminates in goal attainment, the realization of end results, and the seamless



transfer of ownership and responsibility to the end-users or local authorities (Chinn & Kramer, 2020).

Empirical evidence demonstrates that public and non-profit initiatives frequently struggle with execution inefficiencies due to unstructured methodologies, leading to unpredictable outcomes and project stagnation (Muli, 2022; Ochieng & Prince, 2023). To circumvent these challenges and ensure successful implementation, critical determinants must be established. These include clear objective alignment, robust strategic planning, competent team selection, stakeholder relationship management, structured project scheduling, and open channels of communication (Riggs, 2021).

### **Street Lighting Projects in Turkana County**

Public lighting infrastructure is central to the socioeconomic stability of developing regions, making its delivery a priority for municipal and regional authorities. Efficient street lighting is a critical public good; conversely, inadequate or poorly maintained lighting systems impose substantial financial deficits and exacerbate public safety risks. Consequently, contemporary urban centers are increasingly investing capital into energy-efficient lighting upgrades, which simultaneously curtail municipal energy consumption, reduce long-term operational costs, optimize public safety, and catalyze night-time commerce (Shaw, 2024). In Kenya, this modernization agenda gained momentum in 2014 through a national street lighting project initially targeting rehabilitation in Nairobi County, which subsequently scaled to major urban hubs including Mombasa, Kisumu, and Nyeri, ultimately reaching over 500 towns and market centers across the country (Kariuki, 2022). To operationalize these national targets at the local level, county governments such as the Turkana County Government have deployed diverse delivery frameworks, ranging from localized community-based initiatives to complex public-private partnerships (PPPs) designed to bridge the infrastructure deficit.

### **Research Problem**

The implementation of public infrastructure projects is frequently undermined by systemic bottlenecks, including inadequate stakeholder engagement, deficient communication channels between developmental actors and government entities, fragmented institutional structures, and acute resource constraints (Aupe & Sagwa, 2020). While street lighting initiatives are universally recognized as critical interventions for enhancing urban livability, stimulating night-time commerce, and improving civic security, their execution in developing regions is severely compromised. These localized challenges are further compounded by a lack of reliable baseline data and the absence of sustainable Monitoring and Evaluation (M&E) systems. Ultimately, the success of these public installations depends on the organizational capacity to manage complex technical designs and maintain continuous oversight.

Within localized and marginalized environments like Turkana County, the efficacy of project execution is directly tied to key structural indicators of M&E capacity. These indicators primarily include human resource competence, institutional financial capability, and the formal integration of stakeholder feedback systems. Prior literature establishes that active stakeholder participation is crucial for enhancing the technical and operational accuracy of M&E frameworks (Ngigi, 2023; William, 2024). Furthermore, public sector project sustainability depends heavily on knowledge-sharing networks, continuous capacity building, and transparent governance models (Elmi & Minja, 2023; Ojok & Basheka, 2024). When these



structural components are missing or weak, public trust erodes, project efficacy drops, and expensive physical capital quickly deteriorates.

Despite the extensive body of literature focusing on general infrastructure management, a notable empirical gap persists. While international studies indicate a positive correlation between M&E strategies and stakeholder engagement such as the work by Wade et al. (2024) in Australia there remains an acute shortage of context-specific research addressing these dynamics within sub-national jurisdictions in developing nations. Specifically, few studies have explicitly evaluated stakeholder engagement as a formal moderating variable that influences the relationship between M&E capacity and infrastructure delivery within the unique socioeconomic and climatic conditions of Turkana County.

Consequently, without localized empirical evidence, municipal managers lack actionable frameworks to resolve project stalling, vandalism, and operational failures. This study directly addresses this research gap by evaluating how stakeholder engagement influences and moderates the implementation of public street lighting projects in Turkana County, Kenya.

### **Research Question**

How does stakeholder engagement moderate the implementation of public street lighting projects in Turkana County, Kenya?

### **Research Objective**

To determine the moderating effect of stakeholder engagement on the implementation of street lighting projects in Turkana County, Kenya.

### **Value of the Study**

This study is highly significant given the systemic bottlenecks confronting Kenya's devolved governance structures, including financial irregularities, a deficit in participatory management competencies, and fragmented institutional decision-making frameworks that routinely stall county-level infrastructure delivery. By isolating the dynamics of participatory public works, this study provides project managers, municipal planners, and policy architects with actionable empirical insights. Specifically, it deepens the operational understanding of the core mechanisms and structural methodologies required to institutionalize effective stakeholder engagement strategies.

### **Stakeholder Theory**

The conceptual foundation of this study is anchored on Stakeholder Theory, which was rigorously articulated by R. Edward Freeman (1984) and subsequently advanced by scholars such as Koskela and Howell (2020), Kivits et al. (2021), Deegan (2022), and Mitchell (2022). Freeman's seminal work provided a revolutionary paradigm shift in organizational management by challenging the traditional shareholder-primacy model. Instead of viewing an institution as a solitary entity answerable exclusively to its financial shareholders, Stakeholder Theory posits that an organization functions within a complex network of internal and external relationships. These include employees, clients, suppliers, local communities, and any other parties whose interests are affected by, or can affect, the achievement of the organization's



objectives. Under this framework, the strategic and ethical management of these relationships is considered the core determinant of long-term operational success.

When applied to the public sector, the theory contends that the viability of government-led development initiatives depends heavily on the systemic identification and active integration of relevant stakeholders throughout the project lifecycle. Empirical success is tied to the psychological and operational buy-in of these actors; when communities and end-users perceive that their inputs are genuinely incorporated into decision-making processes, their motivation to support and protect the infrastructure increases. Integrating Stakeholder Theory with project management principles demonstrates how collaborative strategic actions drive specific, sustainable deliverables. As Koskela and Howell (2020) note, a project task force must possess the requisite operational capacity, and necessary resources must be secured prior to project approval. However, implementation viability is frequently threatened by shifting variables such as contract duration, operational continuity, and the volatility of external funding. Consequently, active stakeholder engagement and a shared commitment to localized Monitoring and Evaluation (M&E) are critical mechanisms to mitigate these operational risks.

Despite its widespread application, Stakeholder Theory faces practical criticisms, primarily regarding its operational boundaries. Critics like Mitchell (2022) argue that an overly expansive definition of a "stakeholder" can dilute managerial focus, making it structurally unfeasible to prioritize conflicting demands or make rapid operational decisions. To resolve this limitation, Freeman and later scholars introduced stakeholder salience models. These frameworks systematically categorize and rank stakeholders based on three attributes: power, legitimacy, and urgency. By transitioning the theory from an abstract philosophical model into a practical management tool, salience mapping allows project managers to strategically allocate engagement resources, ensuring that participatory processes remain manageable and directly aligned with the project's core objectives.

In public infrastructure initiatives such as the implementation of street lighting projects in Turkana County this theoretical framework directly intersects with empirical practice. Within this context, local communities, traders, and regulatory bodies are not bureaucratic roadblocks, but essential partners within the project's operational framework. By utilizing structured institutional agreements and open communication channels, public managers can navigate execution bottlenecks, align conflicting socio-economic goals, and foster community ownership. Ultimately, this demonstrates that within complex developmental environments, the intersection of ethical stakeholder commitment and efficient resource management is the primary driver of project sustainability.

## **Empirical Studies**

Within decentralized governance systems like Turkana County, stakeholder engagement represents the institutional mechanism through which local residents and institutional actors actively participate in policy formulation, priority setting, resource allocation, and program execution. The sustainability of county-level developmental initiatives requires not only physical and financial capital injections but also the meaningful involvement of the local populace. This participation fosters local resource ownership, encourages the collaborative identification of systemic developmental bottlenecks, and aligns project strategies with local needs (Mongula, 2023).



In the energy and infrastructure sectors, effective engagement requires project managers to systematically identify, analyze, and address the divergent needs of diverse interest groups, including municipal authorities, local communities, private financiers, and environmental organizations. Managing these dynamics is crucial for securing regulatory compliance, mitigating social risks, and obtaining the social license or community endorsement required for long-term project viability (Osinakachukwu et al., 2024).

The intersection of rigorous Monitoring and Verification (M&V) systems and stakeholder communication is well established in international public works. Evaluations of India's Street Lighting National Programme (SLNP) by the Bureau of Energy Efficiency (BEE) and the Energy Efficiency Services Limited (EESL) demonstrate that combining engineering telemetry with structured communication channels minimizes vendor non-performance and preserves energy-saving metrics (\$kWh\$) across thousands of municipalities (BEE/EESL/World Bank, 2024). Similarly, comparative analyses of LED and smart lighting upgrades across various cities in the United States confirm a direct correlation between proactive public outreach methodologies and successful implementation performance (Northeast Group & CityLab Insights, 2022).

Recent technological advancements in public lighting further highlight the need to balance engineering design with participatory governance. A systematic review by Zhou et al. (2024) regarding Internet of Things (IoT)-based smart public lighting deployments revealed that integrating remote telemetry with formal citizen reporting mechanisms yields superior long-term maintenance outcomes. This finding indicates that hardware installations are insufficient if they lack structured institutional channels for stakeholder feedback.

This socio-technical dependency is further supported by renewable smart lighting pilots, which demonstrate that combining device telemetry with active community committees and local caretakers significantly reduces equipment down-time and mitigates infrastructure theft and vandalism (Smart Lighting Pilot Report, 2023).

Furthermore, smart lighting case studies compiled by Marousková et al. (2021) indicate that cross-departmental coordination within municipalities, paired with public user feedback, is essential for translating monitoring data into enforceable maintenance policies. Even within ecologically focused field experiments, such as those conducted by Stone et al. (2021) regarding the impact of street lighting on local insect populations, empirical findings suggest that municipal governments should adopt stakeholder-inclusive monitoring frameworks to balance civic safety priorities with localized biodiversity preservation.

International development institutions increasingly mandate participatory frameworks to safeguard capital investments. Comparative case syntheses from the World Bank, the European Bank for Reconstruction and Development (EBRD), and the Organization for Economic Co-operation and Development (OECD) demonstrate that integrating mandatory stakeholder disclosure and grievance redress mechanisms directly correlates with improved project responsiveness and reduced community complaints (World Bank IEG, 2024). Beyond infrastructure, the utility of participatory methods is evident in complex healthcare environments; for instance, Haun et al. (2024) utilized participatory intervention mapping among healthcare professionals to illustrate that structured engagement is critical for translating theoretical evidence into clinical practices and mitigating institutional barriers to care.



In large-scale engineering operations, the capacity to adapt to shifting stakeholder dynamics is an important determinant of success. Dolan et al. (2025) conducted a five-year longitudinal mixed-method investigation tracking 15 mega-infrastructure projects budgeted above \$1 billion. Utilizing stakeholder network analysis alongside quantitative performance markers, the researchers determined that projects utilizing adaptive stakeholder management strategies which dynamically adjust to changing lifecycle relationships realized 38% higher performance ratings and 45% greater stakeholder satisfaction scores than rigid, non-adaptive projects.

Similarly, in the construction industry, stakeholder engagement acts as an essential bridge for risk management. Examining 247 construction projects in developing nations, Chen et al. (2025) observed that stakeholder engagement significantly mediated the relationship between risk management practices and sustainable project performance. Notably, projects exhibiting high concurrent levels of risk management and stakeholder engagement scored 51% higher on sustainability metrics, yielding a 43% improvement in environmental compliance and a 38% reduction in execution delays. Furthermore, a systematic review of 34 transport mega-projects by Kumar and Patel (2024) across six nations revealed that comprehensive engagement strategies generated 49% higher community acceptance rates, a 36% reduction in implementation delays, and a 42% increase in long-term sustainability ratings.

In East Africa, the execution of public-private partnerships (PPPs) for municipal lighting depends heavily on the regulatory capacity of public authorities. A multi-case analysis by Nduhura et al. (2024) revealed that PPP configurations deliver optimal public utility values only when municipal entities retain strong monitoring and stakeholder engagement capabilities to enforce service standards, coordinate maintenance, and process community complaints.

To optimize these collaborative networks, Masvaure and Fish (2022) examined Evaluation Capacity Development (ECD) interventions across African programs, finding that upgrading institutional M&E routines and skills enhances the utilization of empirical evidence in public decision-making, providing a useful framework for multi-agency infrastructure delivery.

Regionally, Prebanic and Vukomanovic (2023) utilized thematic analysis to examine stakeholder engagement within complex infrastructure developments in Croatia. Their resulting framework model integrated stakeholder participation across three distinct management tiers and three outcome dimensions, concluding that inclusive participation acts as an operational cornerstone for accountability, conflict minimization, and successful project delivery. Similarly, Aaltonen et al. (2024) explored engagement dynamics within temporary organizations, advocating for a transition away from rigid transactional management in favor of collaborative structures that actively include marginalized groups, thereby driving societal value integration.


Within the Kenyan context, empirical research consistently links project outcomes to the depth of participatory management. Kimanzi (2020) investigated the Ngara Housing Project in Nairobi County utilizing a descriptive survey design ( $n = 108$ ). The study established a statistically significant positive correlation between comprehensive stakeholder involvement spanning design, implementation, and M&E reporting and timely project completion ( $r = 0.244$ ,  $p < 0.01$ ), noting that inclusive decision-making improves local accountability and eases operational bottlenecks.



Expanding this scope to county-level governance, Kimanzi (2022) evaluated project delivery within the Kitui County Government, establishing that inclusive stakeholder participation significantly improved project outcomes across scope, cost, time, and quality metrics. This research recommended that county project managers utilize interest-and-influence matrices to categorize stakeholders, streamline resource mobilization, and ensure public accountability.

The consequences of failing to institute robust engagement frameworks are evident in Kenya's higher education sector. Moegh (2023) reviewed the performance of public university construction initiatives following a 2020 parliamentary report revealing that stalled institutional projects had accumulated Ksh. 200.7 billion in stalled works, with over Ksh. 70.3 billion classified as wasted asset value. Surveying 80 institutional practitioners across four state universities in Nairobi County, Moegh (2023) determined that active collaboration among government regulators, university managements, contractors, and local communities significantly determines project completion rates, recommending stricter oversight and synchronized lifecycles to prevent project stalling. Finally, within Arid and Semi-Arid Lands (ASAL), infrastructure execution requires localized adjustments. Abdi, Okeyo, and Machoka (2024) examined the role of community participation in road project planning across Kenyan ASAL counties. Their analysis revealed a strong positive baseline relationship between project planning and performance ( $R = 0.648$ ), which was further enhanced when mediated by community participation ( $R = 0.718$ ). Together, project planning and community participation explained 51% of the total variance in road project performance ( $R^2 = 0.510$ ). The authors concluded that community engagement alters the connection between planning models and final project deliverables, and they advised engineers to formulate highly contextualized planning frameworks tailored to the unique socio-economic and geographical conditions of ASAL regions.

While the reviewed literature confirms a strong relationship between stakeholder engagement, project performance, and infrastructure sustainability across global and regional contexts, a clear empirical gap remains. The majority of smart lighting and public utility studies (e.g., Thitai & Kamaara, 2024; Maraga, 2024) treat stakeholder engagement either as an independent predictor or a general mediating variable within stable urban settings like Nairobi or Kiambu counties. Furthermore, while pilots by Putra et al. (2023) established direct links between stakeholder involvement and rural lighting execution, there is an acute shortage of empirical data regarding how stakeholder engagement functions specifically as a moderating variable (W) within marginalized, resource-constrained, and climate-stressed ASAL environments like Turkana County. This study addresses this empirical gap by evaluating how stakeholder engagement moderates the relationship between institutional M&E capacity (X) and the implementation success of public street lighting projects (Y) in Turkana County, Kenya.

**Figure 1: The Study's Conceptual Model**

*Source: Researcher conceptual framework, (2025)*

## Research Hypothesis

H<sub>01</sub> There is no statistically significant relationship between stakeholder engagement and the implementation of street lighting projects in Turkana County, Kenya.

## RESEARCH METHODOLOGY

### Research Philosophy

This study was anchored on the pragmatic research philosophy (pragmatism). Pragmatism is characterized by an operational focus on selecting structural methods and research designs that "work best" to address the specific research problem under investigation (Creswell, 2022). Rather than being restricted to a single philosophical paradigm, pragmatism allows researchers to bridge the gap between objective positivism and subjective interpretivism. Consequently, this orientation justified the integration of a mixed-methods approach. It accommodated qualitative inquiry specifically through key informant interviews with county administrative



leaders involved in managing infrastructure alongside rigorous quantitative analysis across the designated sub-counties as the primary units of analysis. This philosophical framework was highly appropriate for this study, as it provided the flexible, empirically driven methodology necessary to test the research hypotheses and fulfill the stated objectives within a complex public sector environment.

## Research Design

The study adopted a descriptive cross-sectional survey design. A cross-sectional design is characterized by the collection of empirical data from a predefined target population at a single, specific point in time. This approach is highly effective for determining the prevalence of institutional attributes, analyzing baseline organizational characteristics, and mapping relationships between distinct variables without manipulating the research environment. For the purposes of this study, the cross-sectional survey design was uniquely suited to measure institutional Monitoring and Evaluation (M&E) capacity, evaluate existing stakeholder engagement strategies, and assess project execution metrics concurrently. By utilizing this descriptive framework, the study systematically captured a comprehensive snapshot of target respondent characteristics. This provided an accurate, empirically sound foundation to analyze how institutional capacity and participatory mechanisms influence the overall implementation of street lighting projects in Turkana County.

## Population of Study

The unit of analysis in this study was the implementation of street lighting Projects in the various 6 sub-counties in Turkana County (Turkana Central, Turkana South, Turkana West, Turkana East, Turkana North and Loima).

**Table 1: Summary of the sampling matrix by study population units**

| Study Population Unit                           | Estimated Number of The Target Population | Sample Size     | Sampling Technique                      |
|-------------------------------------------------|-------------------------------------------|-----------------|-----------------------------------------|
| <b>Chief Officers/M E Expert</b>                | 34<br>(Turkana CPSB, 2023)                | 27<br>(79% * N) | Purposive Sampling<br>Use Questionnaire |
| <b>Sub-county Quantity surveyors</b>            | 6<br>(Turkana CPSB, 2023)                 | 6               | Census<br>Use Questionnaire             |
| <b>Sub-county Projects Electrical engineers</b> | 6<br>(Turkana CPSB, 2023)                 | 6               | Census<br>Use Questionnaire             |
| <b>M &amp; E vocal persons</b>                  | 6<br>(Turkana CPSB, 2023)                 | 6               | Census<br>Use Questionnaire             |
| <b>Project implementation committee chair</b>   | 6<br>(Turkana CPSB, 2023)                 | 6               | Census<br>Use Questionnaire             |
| <b>Sub County Financial director</b>            | 6<br>(Turkana CPSB, 2023)                 | 6               | Census<br>Use Questionnaire             |



|                                        |                                  |                              |                                    |
|----------------------------------------|----------------------------------|------------------------------|------------------------------------|
| <b>Sub County Procurement officers</b> | <b>6</b><br>(Turkana CPSB, 2023) | <b>6</b>                     | <b>Census</b><br>Use Questionnaire |
| <b>Total (N) = 70</b>                  |                                  | <b>Total Sample (n) = 63</b> |                                    |

**Source:** *Researcher, (2023)*

### Sample Design

A sample is a representative subset of the entire population. Sampling allows you to collect a wide range of data on the population of interest (Bartlett et al., 2001). There are several techniques to selecting the appropriate sample size for a given study. The researcher recorded the number of street lights in each sub-county Project before moving on to Turkana County. The researcher collected data from the six sub-county street lighting projects. This is because the researcher focused on the installation of street lighting projects rather than individual Turkana County citizens. As a result, the target audience was the individuals working on the projects in the various sub-counties, including quantity surveyors, electrical engineers, contractors, subcontractors, county financial directors, county city managers, county procurement officers, county M&E vocal persons, community chairpersons, and chief officers. The people were chosen as the target group because they sparked the researcher's imagination and helped shape how the street light projects were implemented in Turkana County.

Given that the population number was known, the research employed Yamane's (1967) formula for determining a definite sample size as given by the relation  $n = \frac{N}{1+N(e^2)}$

Where n represents the sample size; N is the population size and e is the margin of error set at 5% (the level of precision or 95% confidence level). When we apply this calculation to the target population, we get  $n = 70 / (1+70(0.05)^2) = 63$ .

The sample size for this study was 63 people involved in Turkana's street lighting projects. The census was used for all target categories except the chief officials. Purposive sampling was employed for 79% of the 34 county officers. The 27 chief officers were selected from 27 relevant agencies and directly involved in Turkana County's Street light initiatives.

### Data Collection Instruments and Procedures

To evaluate the moderating effect of stakeholder engagement on the implementation of street lighting projects in Turkana County, primary data were collected using a structured, self-administered questionnaire alongside an observation checklist. The questionnaire was specifically tailored for county administrative staff and Monitoring and Evaluation (M&E) Focal Persons.

The instrument was divided into distinct, structured components: Part I: Captured the demographic and institutional characteristics of the respondents. Part II: Evaluated the core research variables using a five-point Likert scale ranging from "Strongly Agree" to "Strongly Disagree." This section was systematically sub-divided into operational blocks tracking: *Section A:* Institutional Capacity in M&E (Independent Variable, X). *Section B:* Stakeholder Engagement Strategies (Moderator Variable, W). *Section C:* Implementation Success of Street Lighting Projects (Dependent Variable, Y). To preserve data integrity, the researcher hand-



delivered the questionnaires to the respondents, allowing a five-day completion window before collection. Concurrently, an observation checklist was deployed across the six sub-counties to visually audit the operational status and physical condition of the street lighting infrastructure. Prior to analysis, the raw dataset underwent rigorous data cleaning. System-generated and user-missing responses were isolated and explicitly coded as 99 within the Statistical Package for the Social Sciences (SPSS) to prevent missing fields from skewing the statistical output. The final dataset was verified to be free of impossible values, outliers, and unaddressed missing data.

### **Data Analysis and Statistical Presentation**

The cleaned quantitative data were analyzed using both descriptive and inferential statistical methods via SPSS Version 25 and the Hayes PROCESS Macro (v4.1). Descriptive statistics—including frequencies, percentages, means, standard deviations, and minimum/maximum values—were computed to summarize the demographic profiles and contextual variables from Part I of the questionnaire. To determine the predictive weight of the variables and explicitly test the study's moderation hypothesis, hierarchical linear regression modeling was applied. This approach evaluated the direct effect of M&E capacity (\$X\$) on project implementation (\$Y\$), followed by the introduction of the interaction term (\$X \times W\$) to isolate the unique variance ( $\Delta R^2$ ) explained by stakeholder engagement acting as a moderator. The resulting empirical outputs and statistical distributions were organized and presented using structured APA tables, charts, and graphs for clear academic interpretation.

### **Ethical Considerations**

To maintain the highest standards of academic integrity, the researcher ensured that all findings accurately reflected original field evidence. Before launching data collection, formal research clearance and authorizations were obtained from the relevant national and county authorities.

The rights, safety, and privacy of the human participants were protected throughout the research process. Participation was strictly voluntary, and every respondent signed an informed consent form detailing the scope, purpose, potential risks, and civic benefits of the study before accessing the questionnaire. Finally, strict confidentiality was maintained by anonymizing all respondent identities and managing the collected field data securely.

## **RESULTS DISCUSSION AND INTERPRETATION**

### **Respondents' Response Rate**

A questionnaire and an observation schedule were used to gather data. Chief officers and M&E specialists, sub-county quantity surveyors, sub-county electrical engineers for projects, M&E representatives, the chair of the project implementation committee, the sub-county financial director, and sub-county procurement officers were among the respondents. The response rate attained during the administration of the research instruments is shown in Table 2.

**Table 2: Response Rate**

| Questionnaires | Percentage  |
|----------------|-------------|
| Response       | 100%        |
| Non-response   | 0%          |
| <b>Total</b>   | <b>100%</b> |

**Source:** *Researcher, (2024)*

A total of 63 questionnaires were distributed to the 63 respondents, and all were returned to the researcher, resulting in a 100% response rate for the study. Therefore, the response rate in this study was adequate, as evidenced by the results in Table 2. This is also substantiated by Ogula, Ogoti, and Maithya, (2022), who suggest that a minimum of 25-50 observations be used for minor subgroups and above 50% for significant groups, particularly for correlation to causal comparative research designs. Consequently, the researcher was able to extrapolate the findings to the entire population. The questionnaire was administered to an individual and the response was collected on the same day, resulting in a satisfactory response rate.

### Results of Diagnostic Tests

It refers to the outcomes or findings from special statistical tests that are done to check whether the data and model used in the study are valid, reliable, and meet the required assumptions before carrying out the final analysis.

### Reliability of Research Instruments

The study utilized the test-retest reliability method by administering the questionnaire to a cohort of 15 participants. The test-retest reliability technique was evaluated by giving the identical questionnaire to the same group of 15 people on two different occasions, with a week-long gap between the two times. The objective was to assess the reliability or stability of the questionnaire over time. After both rounds of testing were done, the results from the first round (pre-test) were compared to the scores from the second round (post-test) using Pearson's *r*, a correlation coefficient. Table 3 showed the results.

**Table 3: Correlation between Pre-test and Post-test Results**

| Pre-test |                     | Post-test |
|----------|---------------------|-----------|
|          | Pearson Correlation | .926**    |
|          | Sig. (2-tailed)     | .001      |
|          | N                   | 15        |

**Source:** *Researcher, (2024)*

The coefficient that was used to determine the dependability of the instrument for the investigation was 0.926, as shown in Table 3. The instrument was capable of gathering data in a dependable manner because the coefficient was larger than 0.7, which meant that it was capable of eliciting consistent responses from the participants (Field, 2020). The questionnaire was expected to produce answers that were both consistent and dependable over an extended period of time, as demonstrated by the strong correlation.

**Table 4: Reliability Analysis of the Variables**

| Variable                                   | Cronbach's Alpha | No. of Items |
|--------------------------------------------|------------------|--------------|
| Capacity in Monitoring & Evaluation        | .930             | 20           |
| Stakeholder Engagement                     | .923             | 9            |
| Implementation of Street Lighting Projects | .925             | 12           |

**Source:** *Researcher, (2024)*

Cronbach's alpha serves as an indicator of reliability for scales comprising multiple items, including questionnaires or surveys. Table 4 indicates that the reliability analysis revealed all Cronbach's Alpha values exceeded 0.7, suggesting a consistent response pattern between the pre-test and post-test for each variable. Stakeholder engagement was evaluated with 9 items, resulting in a reliability coefficient of 0.923. The implementation of street lighting projects was measured using 12 items, which produced a reliability coefficient of 0.925. The results demonstrated a satisfactory level of internal consistency for the questionnaire or measurement scale. The items in the questionnaire exhibited a strong correlation for each construct, indicating that they were effectively measuring the same underlying concept.

### Validity Results

Validity measures the degree to which a research instrument accurately assesses the specific constructs it was designed to evaluate—a property that is significantly strengthened through expert evaluation (Yue, 2016). To ensure structural rigor, the questionnaire designed for this study was submitted to two independent experts from the Department of Business Science at the University of Nairobi for technical review and critique. Their assessment verified that the questionnaire possessed strong face validity, confirming that the individual items were clearly articulated and appropriately aligned with the study's core variables. Furthermore, the experts established the tool's content validity, affirming that the questions comprehensively covered the relevant theoretical and practical domains required for this investigation.

### Test of Multicollinearity

The multicollinearity test describes to a phenomenon observed in statistical models, especially within the realm of multiple linear regression, which assesses whether two or more independent variables exhibit a high degree of linear correlation among themselves. This obstructs the capacity to ascertain the distinct impact of each variable on the outcome (Gujarati & Porter, 2023). The study employed the Variance Inflation Factor (VIF) to identify and mitigate multicollinearity. A VIF value exceeding 1 indicates the potential existence of multicollinearity to some extent. Generally, a VIF that surpasses 5 is considered a sign of significant multicollinearity; therefore, for the research to conclude that multicollinearity is absent, the value should remain below 5 (Field, 2022). The study sought to assess and mitigate potential complications stemming from multicollinearity through the examination of the VIF, thereby safeguarding the precision and dependability of the findings produced.

**Table 5: Multicollinearity Analysis**

| Model                  | Collinearity Statistics |       |
|------------------------|-------------------------|-------|
|                        | Tolerance               | VIF   |
| 1 (Constant)           |                         |       |
| Capacity in M&E        | .947                    | 1.056 |
| Stakeholder Engagement | .947                    | 1.056 |

**Source:** *Researcher, (2024)*

The variance inflation factor was 1.056, showing that there was low correlation between capacity in M&E and stakeholder engagement. The tolerance of 0.947 indicated that 94.7% variance in one variable cannot be accounted for by the other variable. This implied that capacity in M&E was providing unique and non-redundant information, and its regression coefficient was stable and reliable.

### Test of Normality

A normality test observes the distribution of data. A normal distribution is represented by a symmetrical bell-shaped curve around its mean. The study employed Shapiro-Wilk test to calculate a W statistic and compare it to the critical value based on the sample size to determine the distribution of the dataset (Shapiro and Wilk, 1965). This test is essential for studies using multiple regression analysis. W Statistic ranges from 0 to 1, where values closer to 1 indicate more normality. If  $p \leq 0.05$ , the implication is that data is not normally distributed. The findings are presented in Table 6.

**Table 6: Tests of Normality**

|                                            | Kolmogorov-Smirnov <sup>a</sup> |    |      | Shapiro-Wilk |    |      |
|--------------------------------------------|---------------------------------|----|------|--------------|----|------|
|                                            | Statistic                       | df | Sig. | Statistic    | df | Sig. |
| Implementation of Street Lighting Projects | .195                            | 63 | .055 | .906         | 63 | .062 |

**Source:** *Researcher, (2024)*


Considering the dependent variable, the p-value for Shapiro-Wilk test was 0.062. Since the value was greater than 0.05, the data was normally distributed. The data does not significantly deviate from a normal distribution and is therefore suitable for running parametric tests.

### Test of Homoscedasticity

Homoscedasticity points to equal variance of the dependent variable across various levels of other variables. This inquiry adopted the Breusch-Pagan statistical analysis test, which calculated a chi-square statistic based on the residuals and compared it to critical values based on the independent variables and the sample size (Stewart, 2022). It is worth noting that if heteroscedasticity is present, it can affect the accuracy of regression analysis by interfering with the regression coefficients. Homoscedasticity is an assumption that concerns the distribution of residuals. To ensure that the data is homoscedastic, the researcher checked if the residuals were spread evenly across the range of predicted values. This uniform distribution

ensures that the variance of Robust standard errors is constant. The findings are presented in Figure 2.

**Figure 2. Scatter Plot**



**Source:** *Researcher, (2024)*

The points were not equally distributed above and below zero on the X axis, and to the left and right of zero on the Y axis; therefore, homoscedasticity has not been met. The distribution of data met heteroscedasticity.

### Test of Linearity

Linearity implies that the connection between the independent variable(s) and the dependent variable is linear in the regression analysis. This study adopted scatter plot to visually assess the linearity of the dependent variable against the independent variable(s) (Harrell, 2021). If the points in the scatter plot form a straight line, then the assumption of linearity is met. However, if the points show a curved pattern, then the assumption of linearity may not be met.

### Demographic Information of the Respondents

This section deals with the demographic information of all the respondents. The information was focused on gender, level of education, working experience and frequency of promotion for the officers.



### Distribution of Respondents by Gender

The respondents were asked to specify their gender; Table 7 presents summary of their responses. Inclusion of gender diversity ensured that research findings were not biased toward one group and could be applied to broader populations.

**Table 7. Gender of the Respondents**

| Respondents  | Frequency | Percentage  |
|--------------|-----------|-------------|
| Male         | 52        | 82.5%       |
| Female       | 11        | 17.5%       |
| <b>Total</b> | <b>63</b> | <b>100%</b> |

**Source:** *Researcher, (2024)*

The findings in Table 7 showed that 82.5% of the respondents were male, while 17.5% were female. This implied that there was gender disparity among the officers dealing with the implementation of street lighting projects in Turkana County. However, for this study, the results showed representation of both genders to give diverse opinions on capacity on monitoring and evaluation, stakeholder engagement, and implementation of street lighting projects.

### Influence of Stakeholder Engagement on the Implementation of Street Lighting Projects

Regression analysis was carried out at a significance level of 0.05 in order to establish a direct association between stakeholder engagement and the delivery of street lighting projects. A summary of the findings is included in the following Tables. The theory stated the following: Holmium Oxide Stakeholder engagement and the implementation of street lighting projects do not have a substantial link with one another.

**Table 8: Model Summary Table**

| Model    | R                 | R Square | Adjusted Square | R Std. Error of the Estimate |
|----------|-------------------|----------|-----------------|------------------------------|
| <b>1</b> | .618 <sup>a</sup> | .382     | .372            | 6.12505                      |

The Pearson correlation coefficient was calculated to be 0.618, which is indicative of a high positive link between stakeholder engagement and the delivery of street lighting projects. The results indicated that if there were improvements in stakeholder participation, the implementation of street lighting projects would be more successful. 38.2% of the changes in implementation of street lighting projects were accounted for by stakeholder participation, as evidenced by the fact that the value of R<sup>2</sup> was 0.382. The efficiency with which resources are mobilized and utilized is affected by the level of stakeholder involvement. Projects involving the installation of street lights are usually capital-intensive and involve financial, technical, and human resources. Encouraging the active participation of stakeholders, including government departments, actors in the commercial sector, and development agencies, makes it easier to pool resources and share costs. When stakeholders are involved, they are more willing to devote resources and protect the assets of the project. This feature is exemplified by public-private partnerships (PPPs) in street lighting, in which governments, private investors, and local communities work together to ensure that both capital and operational expenditures are met in



a sustainable manner. In situations where there is a lack of engagement from stakeholders, resource gaps frequently develop, which results in projects being delayed, installations that do not meet quality standards, or maintenance structures that are not sustainable. This is what Osinakachukwu, Ogbu, Ikevuje, and Paul-Emeka (2024) have stated in their research. As a result, involvement serves as a catalyst that enhances the financial and institutional capacity for project implementation.

**Table 9: ANOVA Table**

| Model |            | Sum of Squares | df | Mean Square | F      | Sig.              |
|-------|------------|----------------|----|-------------|--------|-------------------|
| 1     | Regression | 1414.941       | 1  | 1414.941    | 37.715 | .000 <sup>b</sup> |
|       | Residual   | 2288.487       | 61 | 37.516      |        |                   |
|       | Total      | 3703.429       | 62 |             |        |                   |

The ANOVA table shows that F-ratio was 37.715 and the p-value was 0.000. Since the p-value was less than 0.05, the resulting model significantly explains variations in implementation of street lighting projects well.

**Table 10: Table of Coefficients**

| Model |                        | Unstandardized Coefficients |            | Standardized Coefficients | t     | Sig. |
|-------|------------------------|-----------------------------|------------|---------------------------|-------|------|
|       |                        | B                           | Std. Error | Beta                      |       |      |
| 1     | (Constant)             | 12.209                      | 4.552      |                           | 2.682 | .009 |
|       | Stakeholder Engagement | .935                        | .152       | .618                      | 6.141 | .000 |

**Source:** *Researcher, (2024)*

The equation  $y = 12.209 + 0.935x$  is the regression model that demonstrates the relationship between the implementation of a street lighting project and the engagement of stakeholders. Since the p-value of 0.000 was lower than 0.05, it may be inferred that there was a substantial relationship between stakeholder management and the implementation of street lighting projects. When stakeholders are included into the decision-making processes of a project, the result is more effective implementation and an improvement in the quality of the project monitoring and evaluation reports. In order to make project decisions based on accurate information, it is necessary to ensure that all of the important concerns and issues of stakeholders are defined and addressed through the process.

### Moderating Effect of Stakeholder Engagement

The moderation analysis was completed with the help of Hayes PROCESS Macro v4.1, which included a user-friendly interface and automated a number of processes in the moderation analysis. In addition, this software provided bootstrap confidence intervals for the interaction effects. Hayes PROCESS Macro v4.1 was also used to calculate the moderating effect of stakeholder engagement. The technique improved the dependability of the results while simultaneously decreasing the number of mistakes made by humans. The moderation study sought to determine if stakeholder participation moderates the connection between capacity in



monitoring and evaluation (M&E) and the implementation of street lighting projects. The following statement constituted the third null hypothesis: Ho3 The implementation of street lighting projects is not significantly predicted by the combined effect of capability in M&E and stakeholder engagement.

**Table 11: Model Summary Table**

| Model | R     | R-Sq  | MSE     | F       | df1    | df2     | p     |
|-------|-------|-------|---------|---------|--------|---------|-------|
| 1     | .9064 | .8216 | 11.2001 | 90.5539 | 3.0000 | 59.0000 | .0000 |

The dependent variable's observed and anticipated values had a greater association with one another as a result of the correlation coefficient of 0.9064, which was calculated between the observed and predicted values of the execution of street lighting projects. An R-Square value of 0.8216 was obtained, which indicates that 82.16 percent of the variance in the execution of street lighting projects was accounted for by the capacity in M&E, stakeholder involvement, and the interaction of the two factors. This was determined using an F-test, which produced the following results:  $F(3, 59) = 90.5539$ ,  $p < 0.05$ .

**Table 12: Table of Coefficients**

| Model 1  | coeff   | se    | t       | p     | LLCI    | ULCI    |
|----------|---------|-------|---------|-------|---------|---------|
| Constant | 39.4836 | .4404 | 89.6492 | .0000 | 38.6023 | 40.3649 |
| IV       | .4833   | .0442 | 10.9277 | .0000 | .3948   | .5718   |
| MV       | .9038   | .1257 | 7.1878  | .0000 | .6522   | 1.1554  |
| Int_1    | .0199   | .0091 | 2.1870  | .0327 | .0017   | .0380   |

Source: *Researcher, (2024)*

The coefficients revealed that, in the first model, both the capability of M&E ( $\beta=0.4833$ ;  $SE=0.442$ ;  $p<0.05$ ) and stakeholder participation ( $\beta=0.9038$ ;  $SE=0.1257$ ;  $p<0.05$ ) had a substantial impact on the implementation of street lighting projects. In addition, the execution of street lighting projects was significantly impacted by the interaction (IV\*MV) of the two factors ( $\beta=0.0199$ ;  $SE=0.0091$ ;  $p<0.05$ ).

**Table 13: Test of Highest Order Unconditional Interaction**

|     | R2-chng | F      | df1    | df2     | p     |
|-----|---------|--------|--------|---------|-------|
| X*W | .0145   | 4.7831 | 1.0000 | 59.0000 | .0327 |

Source: *Researcher, (2024)*

The interaction term (X\*W) explained an additional 1.45% variance in implementation of street lighting projects ( $\Delta R^2 = 0.145$ ). The p-value was 0.0327, which was less than 0.05; the model was therefore considered statistically significant. This implied that the independent and moderator variable together significantly predicted the dependent variable; the interaction term (X\*W) significantly predicted the implementation of street lighting projects. The p-value also indicated that the moderator variable (stakeholder engagement) had an effect on the relationship between capacity in M&E and implementation of street lighting projects.



## SUMMARY OF FINDINGS

Implementation of street lighting projects and stakeholder engagement were significantly correlated ( $p < 0.05$ ). The Pearson correlation coefficient was determined as 0.618, which is a sign of a strong positive relationship between stakeholder engagement and provision of street lighting projects. The findings revealed that in case of any enhancements in the stakeholder's involvement, the undertaking of the project of installing street lights would be more effective. The  $R^2$  value was 0.382, which indicated that stakeholder involvement explained 38.2 percentage of the variation in implementation of street lighting projects. The outcome of the ANOVA was F-ratio of 37.715 and a p-value of 0.000 indicating that the model is a significant factor in explaining variation in street lighting project implementation.

The regression equation illustrating the correlation between the realization of the projects in street lighting and the involvement of the stakeholders was  $y = 12.209 + 0.935x$ . Because the p-value of 0.000 was less than that of 0.05, it can be deduced that there was significant correlation between stakeholder management and implementation of street lighting projects. Through the inclusion of the stakeholders into the decision making processes of the project, more successful implementation is achieved as well as quality of project monitoring and evaluation reports is also enhanced. To make the project decisions using the correct information, one has to see that all the crucial concerns and issues of the stakeholders are established and are dealt with in the process.

The effectiveness in terms of mobilizing and utilization of resources is influenced by the degree of stakeholder engagement. Street lighting project installation projects are typically capital intensive and require financial, technical, and human resources. It is easier to share costs by encouraging active participation of stakeholders such as government departments, players in the commercial sector and development agencies.

## CONCLUSIONS

The study comes to the conclusion that the implementation of street lighting projects is affected by the involvement of stakeholders. It is essential that the stakeholders be consulted adequately so that they remain informed about the progress, obstacles, and triumphs of the project. This will help to cultivate a feeling of participation and support for the goals of the project. The success and implementation of initiatives in a county are negatively impacted by the absence of this practice. It was demonstrated that effective stakeholder management, which is defined by the inclusion of feedback systems, transparent communication, inclusive involvement, and timely consultation, is an essential component in improving the success rate of a project. Projects were more responsive to the requirements of the local community, were better organized, and were more likely to accomplish their desired results when stakeholders were actively involved in all phases of the project, including planning, monitoring, and assessment. On the other side, the community was frequently dissatisfied as a result of insufficient engagement with stakeholders, which also led to an unjust distribution of resources and delays in implementation. The significance of implementing a participative strategy that takes into account the input of stakeholders over the course of the project lifecycle is emphasized by these results. The Turkana County Government has to make stakeholder management techniques that promote openness, accountability, and community ownership a top priority. This would



allow the county government to enhance the effect and sustainability of future development efforts.

## RECOMMENDATIONS

Stakeholders in Turkana County be involved in the decision-making processes of projects in order to enhance the implementation of the projects as well as to improve the quality of the reports on project monitoring and evaluation. In order to make project decisions based on accurate information, it is necessary to ensure that all of the important concerns and issues of stakeholders are defined and addressed through the process.

## REFERENCES

- Aaltonen, K., Derakhshan, R., Di Maddaloni, F., & Turner, R. (2024). Stakeholder engagement: Theoretical and methodological directions for project scholarship. *International Journal of Project Management*, 42(7), 102649.
- Abdi Ibrahim (2021). Influence of Stakeholders Participation in Performance of Agricultural Projects in Wajir County, Kenya: A Case of Kenya Climate Smart Agriculture Project. <http://erepository.uonbi.ac.ke/handle/11295/107328>.
- Abdi, T., Okeyo, W., & Machoka, P. (2024). Community Participation's Mediating Effect on Project Planning and Road Project Performance in Kenya's Arid and Semi-Arid Counties. *International Journal of Research and Innovation in Social Science*, 8(10), 3221-3233.
- Brase, C., & Amolo, A. E. J. (2021). Stakeholder engagement strategies and road construction project performance. *International Journal of Finance & Banking Studies*, 3(1), 182-195.
- Bryson, J. M., Crosby, B. C., & Stone, M. M. (2023). Designing and implementing cross-sector collaborations: Needed and challenging. *Public Administration Review*, 75(5), 647-663.
- Bureau of Energy Efficiency (BEE) & KPMG. (2024). *Impact assessment of energy efficiency for year 2020–21*. <https://udit.beeindia.gov.in/wp-content/uploads/2024/02/Impact-Assessment-Report-2020-21.pdf>. [udit.beeindia.gov.in](https://udit.beeindia.gov.in)
- Cornwall, A. (2022). Unpacking 'participation': Models, meanings and practices. *Community Development Journal*, 43(3), 269-283.
- Crawford, P., & Bryce, P. (2023). Project monitoring and evaluation: a method for enhancing the efficiency and effectiveness of aid project implementation. *International journal of project management*, 21(5), 363-373.
- Crawford, P., & Bryce, P. (2023). Project monitoring and evaluation: A method for enhancing the efficiency and effectiveness of aid project implementation. *International Journal of Project Management*, 21(5), 363-373.
- Du Plessis, C., & Cole, R. J. (2021). Community satisfaction with infrastructure projects: Critical success factors. *Built Environment Project and Asset Management*, 11(2), 234-251.
- Du Plessis, C., & Cole, R. J. (2021). *Motivating change: shifting the paradigm*. *Building Research & Information*, 39(5), 436-449.



- EESL (Energy Efficiency Services Limited). (2024). *Annual report FY 2022–23*. <https://eeslindia.org/wp-content/uploads/2024/01/Annual%20Report%20FY%202022-23.pdf>. [beeindia.gov.in](http://beeindia.gov.in)
- Ekeno, E. A. (2021). *Factors influencing retention of human resources for health in the remote Turkana County of Kenya*
- Elmi, O. H. & Minja, D. (2023). Effects of hunger safety net program on livelihood improvement in Wajir County, Kenya. *International Academic Journal of Law and Society*, 1(2), 435-449
- Erasmus, P. D. (2023). Community participation in infrastructure development projects. *Development Southern Africa*, 35(3), 368-383.
- Erasmus, R. (2023). *Monitoring and Evaluation for The Success of Agricultural Donors Funded Projects: A Case Study of Rice Growing Projects in Cogirira Cooperative in Bugesera District, Rwanda* (Doctoral dissertation).
- Gaventa, J., & Cornwall, A. (2021). Power and knowledge. In P. Reason & H. Bradbury (Eds.), *Handbook of Action Research: Participative Inquiry and Practice* (pp. 70-80). Sage Publications.
- Gitonga, E. N. & Njeru, A. (2023). Factors Affecting Sustainability of Public Street Light Development Projects in Kenya: The Case of Nairobi County. *The Strategic Journal of Business & Change Management*, Vol. 4, Iss. 4 (22), pp 398 – 417.
- Gujarati, D. N., & Porter, D. C. (2023). *Basic Econometrics* (5th ed.). McGraw-Hill Education
- Hair, J. F., Black, W. C., Babin, B. J., & Anderson, R. E. (2010). *Multivariate Data Analysis* (7th ed.). Pearson.
- Haun, J. N., Nakase-Richardson, R., Cotner, B. A., Agtarap, S. D., Martin, A. M., Tweed, A., ... & Hoffman, J. M. (2024). Stakeholder engagement to identify implementation strategies to overcome barriers to delivering chronic pain treatments: a NIDILRR and VA TBI Model Systems Collaborative Project. *The Journal of head trauma rehabilitation*, 39(1), E29-E40.
- Haun, J. N., Nakase-Richardson, R., Cotner, B. A., Agtarap, S. D., Martin, A. M., Tweed, A., ... & Hoffman, J. M. (2024). Stakeholder engagement to identify implementation strategies to overcome barriers to delivering chronic pain treatments: a NIDILRR and VA TBI Model Systems Collaborative Project. *The Journal of head trauma rehabilitation*, 39(1), E29-E40.
- Ika, L. A., Diallo, A., & Thuillier, D. (2022). Critical success factors for World Bank projects: An empirical investigation. *International Journal of Project Management*, 30(1), 105-116.
- Implementation of Solar Street Lighting for Empowering Rural Communities. (2024). *BIO Web of Conferences proceedings*. [bio-conferences.org](http://bio-conferences.org)
- Kadurira and Nyagah (2021). Influence of stakeholders' involvement on the sustainability of integrated community Projects in Kenya: A case of Kenya Red Cross integrated community Projects in Tana River County.
- Kimanzi, R. M. (2020). *Influence of Stakeholders' Engagement on Completion of Housing Projects in Kenya; a Case of Ngara Housing Project, Nairobi County* (Doctoral dissertation, University of Nairobi).
- Lehtinen, J., & Aaltonen, K. (2024). Community stakeholders' online engagement in infrastructure projects: a theory-testing single-case study. *Construction Management and Economics*, 42(8), 758-786.



- Letea, F. (2024). Turkana County solar projects transforming lives. *Turkana County Public Communication and Media Relations*.
- Mackay, K. (2022). *How to Build M&E Systems to Support Better Government*. World Bank Publications.
- Maddock, N. (2020). *Has project monitoring and evaluation worked? Bradford, BD7: Development and Project Planning Centre, University of Bradford*
- Mansuri, G., & Rao, V. (2024). Community-based and -driven development: A critical review. *The World Bank Research Observer*, 19(1), 1-39.
- Maraga, J. (2024). *Sustainability of street-lighting projects in Ruiru Sub-County, Kenya*. *Journal of Sustainable Urban Development*, 12(2), 45–60.
- Maraga, J. N. (2024). Stakeholders' participation and the Sustainability of Street Lighting Projects in Kiambu County: A Case Study of Ruiru Sub-County.
- Marousková, A., et al. (2021). Intelligent street lighting in a smart city concept; A direction to energy saving in cities: An overview and case study. *Energies*, 14(11), 3018. <https://doi.org/10.3390/en14113018>. [ResearchGate](https://www.researchgate.net/publication/358113018)
- Martin, Kirsten and Phillips, Robert A., Stakeholder Friction (October 4, 2020). Available at SSRN: <https://ssrn.com/abstract=3704947> or <http://dx.doi.org/10.2139/ssrn.3704947>
- Musyimi, C. M., & Ondara, A. (2022). Collaborative monitoring and evaluation practices and performance of county-funded Projects in Uasin Gishu County, Kenya. *International Academic Journal of Information Sciences and Projects Management*, 3 (7), 102-119.
- Mutai, B. K. (2023). Factors affecting implementation of county government projects in Kenya. *Journal of Public Administration*, 5(2), 45-62.
- Mutsune, S. O. (2023). *Monitoring and Evaluation Practices on Project Implementation by National*
- Navaraj, P., & Inkarojrit, V. (2024). Beyond illumination: Stakeholder perspectives on urban lighting master planning for Chiang Mai Old City, Thailand. *Sustainability*, 16(21), 9411. <https://doi.org/10.3390/su16219411>
- Nkuebe, A. M., & Ochieng, E. (2023). *Stakeholder Engagement: Achieving Sustainability in the Construction Sector*. *Sustainability*. 11(8), 831-846.
- Nor, A. M. & Kulmie, D. A. (2023). Role of Effective Monitoring and Evaluation in Promoting Good Governance in Public Institutions. *Public Administration Research*, 12(2), 48-58.
- Northeast Group & CityLab Insights. (2022). *The benefits of LED & smart street lighting: A performance benchmark of U.S. cities*. <https://northeast-group.com/wp-content/uploads/2022/01/CityLab-Northeast-Group-the-benefits-of-led-and-smart-street-lighting>.
- Northeast Group & CityLab Insights. (2022). *The benefits of LED & smart street lighting: A performance benchmark of U.S. cities*.
- Ovcina, A., & Kalajdzic, M. A. (2024). The role of monitoring and evaluation and project implementation management system for non-profit project performance in developing countries. *The South East European Journal of Economics and Business*, 19(1), 63-76.
- Park, Y., & Garcia, M. (2020). Pedestrian safety perception and urban street settings. *International journal of sustainable transportation*, 14(11), 860-871.
- Pérez-Vega, A., et al. (2024). *Beyond Illumination: Stakeholder Perspectives on Urban Lighting Master Planning for Chiang Mai Old City, Thailand*. *Sustainability*, 16(21), 9411.



- PIDG-TA. (2021). *PIDG-TA Nairobi Smart Street Lighting Project — RFP*. PPP Kenya. <https://pppkenya.go.ke/wp-content/uploads/2020/07/PIDG-TA-Nairobi-Smart-Street-Lighting-Project-RFP-28102021.pdf>. [pppkenya.go.ke](https://pppkenya.go.ke)
- Scerri, K., & Attard, M. (2023). People as planners: Stakeholder participation in the street experimentation process using a virtual urban living lab. *Journal of Urban Mobility*, 4, 100063.
- Shapiro, S. S., & Wilk, M. B. (1965). *An analysis of variance test for normality (complete samples)*. *Biometrika*, 52(3/4), 591–611. <https://doi.org/10.1093/biomet/52.3-4.591>.
- Sheehan, M., & Garavan, T. (2022). High-performance work practices and labour productivity: a six wave longitudinal study of UK manufacturing and service SMEs. *The International Journal of human resource management*, 33(16), 3353-3386.
- Thitai and Kamaara (2024). Project Management and Performance of Solar Street Light Projects in Nairobi City County, Kenya. *International Journal of Social Sciences Management and Entrepreneurship*, 8(3), pp: 946-957.
- Trammell, E. J., Jones-Crank, J. L., Williams, P., Babbar-Sebens, M., Dale, V. H., Marshall, A. M., & Kliskey, A. D. (2025). Effective stakeholder engagement for decision-relevant research on food-energy-water systems. *Environmental Science & Policy*, 164, 103988.
- World Bank Group. (2023). *Global financial development report 2014: Financial inclusion* (Vol. 2). World Bank Publications.
- World Bank Independent Evaluation Group. (2024). *Implementing the World Bank's Environmental and Social Framework: A developmental evaluation* (ESS10 insights).
- Yang, K. (2023). Citizen participation. In J. Perry & R. Christensen (Eds.), *Handbook of Public Administration* (3rd ed., pp. 404-418). Jossey-Bass.
- Zhou, B., et al. (2024). A comprehensive survey on an IoT-based smart public street lighting infrastructure for smart cities. *Internet of Things and Cyber-Physical Systems*, 4, 100146. <https://doi.org/10.1016/j.iotcps.2024.100146>. [ScienceDirect](https://www.sciencedirect.com)
- Zhou, B., et al. (2024). A comprehensive survey on an IoT-based smart public street lighting infrastructure for smart cities. *Internet of Things and Cyber-Physical Systems*, 4, 100146.